

Safety Data Sheet



Makers of Fine Paint Since 1962

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **694 Deck AQ**
Recommended Use: Paint / Coating.
Supplier: Topline Paint Pty Ltd t/as Shipway Spescoat
ABN: 65 007 626 191
Street Address: 33 Aldershot Road
Lonsdale SA 5160
Australia
Telephone Number: +61 8 8384 1188
Facsimile: +61 8 8326 1824
Email: info@toplinepaint.com.au




2. HAZARDS IDENTIFICATION

This material is non-hazardous according to criteria of Safe Work Australia; NON HAZARDOUS SUBSTANCE.

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; NOT DANGEROUS GOODS.

Risk Phrases: None.
Safety Phrases: None.
Poisons Schedule: None allocated.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Risk Phrases
Acrylic copolymer emulsion	-	>60%	
Trimethyl pentanediol monoiso butyrate	25265-77-4	<5%	-
Ingredients not classified as hazardous	-	Balance	

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre 131 126 or a doctor.

Inhalation: Not normally a problem due to method of use and non volatile nature of product. However remove to fresh air if affected.

Skin Contact: If skin contact occurs rinse off with water.

Eye Contact: If in eyes, hold eye lids apart and flush the eye continuously with running water. If irritation persists seek medical attention.

Ingestion: If swallowed do NOT induce vomiting. Immediately wash out mouth with water. Seek medical attention if irritation persists.

Further Medical Treatment:

5. FIRE FIGHTING MEASURES

Not Classed as flammable. If involved in a fire, it may emit noxious and toxic fumes.

Extinguishing media: Use appropriate extinguishing media to suit surrounding area.

Special precautions: Material does not burn, but may release toxic fumes if in a fire.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures: Keep un-authorized people away. Do not touch or walk through spilled material.

Methods and materials for containment and clean up: Spills will be slippery so treat promptly. If allowed to dry the product will form a deposit that may be difficult to remove. For minor spills mop up and rinse with water. For larger spills absorb on mineral absorbent material or absorbent pads. Place in plastic gags and put into bin. Rinse are with water.

7. HANDLING AND STORAGE

Conditions for safe storage: Store in a cool, dry, well ventilated place out of direct sunlight. Keep container closed.

Precautions for safe handling: Wear appropriate protective clothing to prevent skin and eye contact. Use in well ventilated area. Maintain a high standard of personal hygiene. Wash hands immediately after using product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None listed for product.

Engineering controls: Provide adequate ventilation during use.

Personal Protective Equipment: Wear rubber or chemical resistant gloves when using product. If decanting wear gloves and goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Milky white emulsion with mild acrylic odour
Solubility in Water	Dispersible in all proportions
pH	9.0-10.0
Flash Point	Non flammable
Melting Point	Not relevant
Boiling Point	Not relevant
Specific Gravity	1.040
Rel Vapour Density	Not available
VOC (volatile organic content)	<30gm/litre

10. STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions.

Conditions to avoid: Keep container closed to prevent it forming a film on the surface.

Incompatible materials: Do not mix with other chemicals as the emulsion may coagulate.

Hazardous decomposition products:

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: May result in nausea, vomiting and diarrhoea.

Eye contact: The product is irritating to eyes and may cause pain and redness. Rinse promptly to prevent a film forming.

Skin contact: Contact with skin may result in irritation, redness and itching.

Inhalation: May result in mild irritation.

Long Term Effects: Prolonged or repeated exposure to this product may result in skin irritation and possibly result in dermatitis.

Toxicological Data: Not available for this product.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available. Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Disposal methods: Refer to Waste Management Authority. Dispose of material through a licensed waste contractor.



14. TRANSPORT INFORMATION

Road and Rail Transport	Not Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; NOT DANGEROUS GOODS.
UN No:	Non allocated
Class-primary:	Non allocated
Packing Group:	Non allocated
Proper Shipping Name:	Non allocated
Hazchem Code:	Non allocated

15. REGULATORY INFORMATION

Classification:	This material is non-hazardous according to criteria of Safe Work Australia; NON HAZARDOUS SUBSTANCE.
Hazard Category:	None allocated
Risk Phrase(s):	None allocated
Safety Phrase(s):	None allocated
Poisons Schedule:	None allocated

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

This MSDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Topline Paint Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. Persons dealing with the products to which this information refers do so entirely at their own risk. Topline Paint Pty. Ltd. will accept no responsibility what so ever for the consequences of the use or misuse of this product.